





Pigtail and Patch Cord FAMILY V1.0
Feature:

- Low insertion loss and back reflection loss.
- High Precision of Mechanical Dimensions.
- Compliant with Telcordia GR-326-Core, IEC, TIA.
- RoHS compliant.
- 100% Optic test.


ITEM	SC/FC/LC			ST	
	SM Premium / Standard	MM Premium / Standard	APC Premium / Standard	SM Premium / Standard	MM Premium / Standard
I.L.	0.2 dB / 0.3 dB Max	0.2 dB / 0.3 dB Max	0.2 dB / 0.3 dB Max	0.2 dB / 0.3 dB Max	0.2 dB / 0.3 dB Max
R.L.	>55dB	----	>60dB	>55dB	>60dB
Temperature	-20 ~ +75°C				

Dimension:
SC 0.9mm Connector

SC 2.0/3.0mm Connector

SC 2.0/3.0mm Short Boot Connector



FC 0.9mm Connector




FC 2.0/3.0mm Connector




LC 0.9mm Simplex Connector




LC Simplex 2.0mm Connector



LC Duplex 0.9mm Connector




LC Duplex 2.0mm Connector




LC 2.0mm Short Boot Connector




ST PC 0.9mm Connector



ST PC 2.0mm Connector



ST PC 2.0mm Connector



ORDER INFORMATION

TYPE		A SIDE		B SIDE		FIBER TYPE		CABLE TYPE		CABLE COLOR		Jacket		Length
PI	PIGTAILS	01	SC 0.9mm	01	SC 0.9mm	01	SM G652D	01	0.9mm	01	Yellow	01	PVC	
PA	PATCH CORD	02	SC 2.0/3.0mm	02	SC 2.0/3.0mm	02	SM G657A1	02	1.6mm	02	Aqua	02	LSZH	
		03	SC 2.0/3.0mm Short Boot	03	SC 2.0/3.0mm Short Boot	03	SM G657A2	03	2.0mm	03	Magenta			
		04	FC 0.9mm	04	FC 0.9mm	04	SM G657B	04	3.0mm	04	Orange			
		05	FC 2.0/3.0mm	05	FC 2.0/3.0mm	05	MM OM1 62.5/125			05	12 Color			
		06	FC 2.0/3.0mm Short Boot	06	FC 2.0/3.0mm Short Boot	06	MM OM2 50/125							
		07	LC 0.9mm	07	LC 0.9mm	07	MM OM3 50/125							
		08	LC 2.0/3.0mm	08	LC 2.0/3.0mm	08	MM OM4 50/125							
		09	LC 2.0/3.0mm Short Boot	09	LC 2.0/3.0mm Short Boot	09	2mm G657.A2							
		10	ST 0.9mm	10	ST 0.9mm	10	3mm G652.D							
		11	ST 2.0mm	11	ST 2.0mm	11	3mm G657.A1							
		12	ST 3.0mm	12	ST 3.0mm	12	3mm G657.A2							

PIGTAIL PATCH CORD